

MC 9P / MC 10P

Very high pressure washers for extreme cleaning



NILFISK

Clean with Maximum Power

Where cleaning demands are industrial, the MC 9P and MC 10P deliver powerful, mobile cold-water-pressure washing, built to handle the toughest cleaning jobs in the harshest conditions.

The MC 9P and MC 10P deliver outstanding cleaning of construction sites, shipyards and industrial facilities where power, mobility, and performance are required to get the job done.

The MC 9P cleans easily in confined and around tight corridors and in construction sites, while the MC 10P tackles heavy-duty outdoor tasks across shipyards and

other industrial areas that require very high pressure to remove stubborn materials such as paint, rust and cement from surface areas.

Both machines offer intuitive user-interface functionality and full access to all components for quick and easy servicing.





MC 9P

Benefits and features:

- **Anti-corrosive steel frame design** for reduced wear and tear in harsh conditions
- **Optimal maneuverability** with tilt and turn handling and large 4 wheel design
- **Very high pressure** ranging from 350 to 500 bars for cleanup of tough jobs
- **Dedicated onboard storage** for easy access to accessories and equipment
- **Upgraded crane lift technology** for improved safety during transport



MC 10P

Benefits and features:

- **Anti-corrosive steel frame design** for reduced wear and tear in harsh conditions
- **Optimal mobility** with tilt and turn handling, large 4 wheel design and secondary handle area for assisted pulling and turning
- **Very high pressure** ranging from 500 to 1100 bars for cleanup of heavy outdoor tasks
- **Dedicated onboard storage** for easy access to accessories and equipment
- **Upgraded crane lift technology** for improved safety during transport



Models and specifications

MC 9P

Description	MC 9P-350/1260 400/3/50	MC 9P-350/1260 440/3/60	MC 9P-500/960 400/3/50	MC 9P-500/960 440/3/60
Ref. No. Stock code	107147021	107147022	107147024	107147025
Pump pressure (bar/MPa)	360/36	360/36	500/50	500/50
Cleaning impact (kg/force)	9,66	9,66	8,67	8,67
Water flow Qmax/Qiec (l/h)	1260	1260	960	960
Max. inlet temperature (°C)	35	35	35	35
Pump (RPM)	1460	1760	1460	1760
Dimensions L x W x H (mm)	1100 x 500 x 980	1100 x 500 x 980	1100 x 500 x 980	1100 x 500 x 980
Weight (kg)	245	245	255	255
Power consumption (kW)	18	18	18	18
Voltage/phase/frequency/current (V/~ /Hz/A)	400/3/50/32	440/3/60/29	400/3/50/32	440/3/60/29
El cable (m)	16	16	16	16
Suction height dry (m)	N/A	N/A	N/A	N/A
Nozzle size	1505	15045	1503	0003
Hydraulic Control System	Dry shot off	Dry shot off	Dry shot off	Dry shot off

MC 10P

Description	MC 10P-500/1800 400/3/50	MC 10P-500/1680 440/3/60	MC 10P-800/990 400/3/50	MC 10P-800/1170 440/3/60	MC 10P-1100/870 400/3/50	MC 10P-1100/900 440/3/60
Ref. No. Stock code	107147030	107147031	107147032	107147023	107147034	107147035
Pump pressure (bar/MPa)	500/50	500/50	800/80	800/80	1100/110	1100/110
Cleaning impact (kg/force)	16,26	15,18	11,31	13,37	11,12	11,50
Water flow Qmax/Qiec (l/h)	1800	1680	990	1170	870	900
Max. inlet temperature (°C)	35	35	35	35	35	35
Pump (RPM)	1470	1765	980	1175	980	1175
Dimensions L x W x H (mm)	1670 x 750 x 1180	1670 x 750 x 1180	1670 x 750 x 1180	1100 x 500 x 980	1670 x 750 x 1180	1670 x 750 x 1180
Weight (kg)	470	470	565	565	565	565
Power consumption (kW)	30	30	30	30	30	30
Voltage/phase/frequency/current (V/~ /Hz/A)	400/3/50/58	440/3/60/55	400/3/50/59,3	440/3/60/55	400/3/50/59,3	440/3/60/59,3
El cable (m)	16	16	16	16	16	16
Suction height dry (m)	N/A	N/A	N/A	N/A	N/A	N/A
Nozzle size	15055	00050	15025	0003	0002	0002
Hydraulic Control System	Dry shot off	Dry shot off	Dump Gun	Dump Gun	Dump Gun	Dump Gun

Nilfisk Ltd

Nilfisk House, Bowerbank Way,
Giliwilly Industrial Estate, Penrith, Cumbria, CA11 9BQ
Tel: 01 294 3838 · Email: sales.uk@nilfisk.com

www.nilfisk.ie

NILFISK